


FIG. 1







FIG. 3






FIG. 4




Figure 5

# Export By Query

## Query Information

Database Name: DBC

Query:

SELECT \* FROM QCD.QUERY

Add

Clear

## Selected Queries

Query	Database	Query Text
1	DBC	SELECT * FROM QCD.QUERY

Delete

Browse QCD

Import SQL

## Export Options

☐ Object definitions

☐ Statistics

☐ Random AMP Sampling

☐ Cost Parameters

☐ Execution Plan

Options

Logged to load2, user dbc

Working...

Start Import Mimic

DOE Mimic

Exploring

untitled - P...

M Mimic

12:16 PM

Figure 6




Figure 7




Figure 8






Figure 9




Figure 10




Figure 11

Import file: load2

Import Into

Parent Database

Import Options

☒ Object Definitions

☐ Statistics

☒ Cost Parameters

☐ Execution Plan

☒ Random AMP Samples

The data was exported from Teradata RDBMS

Version	04.01k.00.00
Release	V2R.04.01k.00.00
Date	2001/01/28
Time	22:34:27
CharSet	ASCII
Machine Name	load2
Number of AMPs	4 AMPs
Number of PEs	Not Available
Number of Nodes	Not Available
Model	4400

Preview... Import Cancel

Figure 12

